

**Licitația publică nr. 14/00885 din 25.06.2014, ora 11:00**

**Tehnică de calcul, consumabile și aparat foto**  
**Codul CPV: 30191000-4**

Această invitație la licitație este urmarea anunțului de participare publicat în Buletinul achizițiilor publice nr. 45/14 din 10.06.2014.

În scopul **achiziționării tehnicii de calcul, consumabilelor și aparatului foto**, conform necesităților **Centrului Național de Sănătate Publică** (în continuare – Cumpărător) pentru anul de activitate 2014, este alocată suma necesară din *surse bugetare* și mijloace speciale.

**Centrul Național de Sănătate Publică (CNSP)** invită operatorii economici interesați, care pot satisface necesitățile Cumpărătorului, să participe la licitație privind livrarea următoarelor bunuri:

<b>Nr. d/o</b>	<b>Cod CPV</b>	<b>Denumirea bunurilor</b>	<b>Parametrii tehnici solicitați</b>	<b>Unit. de măsură</b>	<b>Cantitate</b>
<b>Lot 1</b>	30191000-4	<b>1.1</b> Bloc de sistem	-CPU: # of Cores minim 2, # of Threads minim 2, Clock Speed minim 3 GHz, Cache minim 3 MB, DMI 5 GT/s, 64-bit, Lithography 22 nm, Max TDP 55 W, BOX -RAM: DDR III minim 4GB, one free slot -HDD: Rotational Speed 7,200 RPM (nominal), Buffer Size minim 64 MB, Load/unload Cycles 300,000 minimum, Transfer Rates Buffer To Host (Serial ATA) minim 6 Gb/s, Transfer Rate (Buffer To Disk) minim 150 MB/s (Sustained) Physical Specifications Formatted Capacity 500,107 MB, Capacity minim 500 GB, User Sectors Per Drive 976,773,168 -ODD: DVD+/-RW , SATA -Mainboard(Compatible with offered CPU): minim 2xDDR3 1600, grafica integrata, D-Sub, DVI, 1*PCI-Ex.16x, 2*PCI-Ex.1x, 3xSATA, 4xUSB 2.0, GLAN, COM Port, Paralel Port, mATX -Keyboard&Mouse from the same manufacturer -Antivirus Internet Security 2014(Antivirus and Antispyware, Security Report, Online Privacy Protection, File Shredder, Two-way Firewall, Parental Control, Cloud Antispam) -OS preinstalled Windows 8 PRO ENG/RU with downgrade to Windows 7 PRO ENG/RU, -CASE: tower/convertible minitower, min 2 USB on front, audio+mic , min. 450W real power, active PFC	Buc.	50

			CERTIFICATES ISO 9001:2008 for DESKTOP and ANTIVIRUS, ISO 9001:2008, ISO 14001:2004 for UPS, MAF (Manufacturer Authorization) for DESKTOP, UPS and ANTIVIRUS Warranty: min 36 months		
	30191000-4	<b>1.2 UPS</b>	Back-UPS Pro with LCD graphics display ,minim 720 Watts/1200 VA, Input 230V /Output 230V, USB, Extended runtime model Control panel Multi-function LCD status and control console Audible Alarm Alarm when on battery: distinctive low battery alarm: overload continuous tone alarm Output Power Capacity min 720 Watts/ 1200 VA Nominal Output Voltage 230V Output Frequency (sync to mains) 50/60Hz +/- 3 Hz Input voltage range for main operations 176 - 294V Input voltage adjustable range for mains operation 156 - 300V Topology Line Interactive Waveform Type Stepped approximation to a sinewave Battery Type Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof Typical recharge time: 8 hour(s) Warranty: minim 36 months	Buc.	50
	30191000-4	<b>1.3 Monitor</b>	Display minim 19.5 inch, HD, Aspect Ratio 16:9, Contrast Ratio 100000000:1, Brightness 200 cd/m <sup>2</sup> , Screen Resolution 1600 x 900, View Angle 90 Degree (H), 65 Degree (V), Refresh Rate 60 Hz, Response Time, maxim 5 ms CERTIFICATES ISO 9001:2008 for Monitor Warranty: min 36 months	Buc.	50
<b>Lot 2</b>	30191000-4	Computator în set	-CPU: # of Cores minim 2, # of Threads minim 2, Clock Speed minim 3 GHz, Cache minim 3 MB, DMI 5 GT/s, 64-bit, Lithography 22 nm, Max TDP 55 W, BOX -RAM: DDR III minim 4GB, one free slot -HDD: Rotational Speed minim 7,200 RPM (nominal), Buffer Size minim 64 MB, Load/unload Cycles 300,000 minimum, Transfer Rates Buffer To Host (Serial ATA) 6 Gb/s, Transfer Rate (Buffer To Disk) 150 MB/s (Sustained) Physical Specifications	Buc.	15

		<p>Formatted Capacity minim 500,107 MB, Capacity minim 500 GB, User Sectors Per Drive minim 976,773,168</p> <p>-ODD: DVD+/-RW , SATA</p> <p>-Mainboard(Compatible with offered CPU): minim 2xDDR3 1600, grafica integrata, D-Sub, DVI, 1*PCI-Ex.16x, 2*PCI-Ex.1x, 3xSATA, 4xUSB 2.0, GLAN, COM Port, Paralel Port, mATX</p> <p>-Keyboard&amp;Mouse from the same manufacturer</p> <p>-Antivirus Internet Security 2014(Antivirus and Antispyware, Security Report, Online Privacy Protection, File Shredder, Two-way Firewall, Parental Control, Cloud Antispam)</p> <p>-OS preinstalled Windows 8 PRO ENG/RU with downgrade to Windows 7 PRO ENG/RU,</p> <p>-CASE: tower/convertible minitower, min 2 USB on front, audio+mic , min. 450W real power, active PFC</p> <p>CERTIFICATES ISO 9001:2008 for DESKTOP and ANTIVIRUS, ISO 9001:2008, ISO 14001:2004 for UPS, MAF (Manufacturer Authorization) for DESKTOP, UPS and ANTIVIRUS</p> <p>Back-UPS Pro with LCD graphics display ,minim 720 Watts/1200 VA, Input 230V /Output 230V, USB, Extended runtime model</p> <p>Control panel Multi-function LCD status and control console</p> <p>Audible Alarm Alarm when on battery: distinctive low battery alarm: overload continuous tone alarm</p> <p>Output Power Capacity min 720 Watts/ 1200 VA</p> <p>Nominal Output Voltage 230V</p> <p>Output Frequency (sync to mains) 50/60Hz +/- 3 Hz</p> <p>Input voltage range for main operations 176 - 294V</p> <p>Input voltage adjustable range for mains operation 156 - 300V</p> <p>Topology Line Interactive</p> <p>Waveform Type Stepped approximation to a sinewave</p> <p>Battery Type Maintenance-free sealed Lead-Acid battery with suspended electrolyte : leakproof</p> <p>Typical recharge time: 8 hour(s)</p> <p>Monitor: Screen size: minim 21.5"(54.61 cm) (1920x1080), Wide: 16:9, Screen technology: LED, Panel type: IPS, Response Time: maxim 6ms, Brightness: 250cd/m2, Static Contrast: 1000:1, Dynamic Contrast: 100000000:1,</p>		
--	--	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

			Viewing Angle: 178/178, Interfaces: VGA, HDMI CERTIFICATES ISO 9001:2008 for Monitor Warranty: min 36 months		
<b>Lot 3</b>	30191000-4	Imprimante	- MFD Laser Color A4, Color-21ppm, Mono-21ppm Print/Copy/Scan, 1200x1200dpi, network, duplex, USB 2.0+1 set de cartuse originale color Warranty: min 24 months	Buc.	2
<b>Lot 4</b>	30191000-4	Mono Printer/Copier/Col or Scanner	Mono Printer/Copier/Color Scanner, ADF(35-sheet), A4, 128Mb, 1200x600 dpi, 23 ppm, 60-163g/m2, Scan 600x600dpi-24 bit, Paper Inp.250sheet tray, USB 2.0, Max.10k pages per month,Cartridge (min2100 pages 5%)+1 reserve cartridge min.2100 pages Warranty: min 24 months	Buc.	8
<b>Lot 5</b>	30191000-4	InkJet Printer+CONTINU OUS INK SYSTEM(SNPC)	Print Resolution Up to 9600 <sup>1</sup> x 2400 dpi Print Technology 6 Individual Inks (PGBK, BK, C, M, Y, GY) Inkjet FINE print head with 1pl (min.) ink droplet size ChromaLife100+ inks Mono Document Print Speed:max 14.5 ipm Colour Document Print Speed: max 10.4 ipm Photo Print Speed Borderless 10x15cm: Approx. 36 seconds <sup>1</sup> A3+ Bordered: Approx. 120 seconds <sup>1</sup> Borderless Printing A3+, A3, A4, LTR, LDR, 25x30cm, 20x25cm, 13x18cm, 10x15cm Two Sided Printing Manual operation Direct Disc Printing Yes (software included) Warranty: min 24 months	Buc.	1
<b>Lot 6</b>	30191000-4	Server	Rack Server, maxim 2U 2Socket, # OF CORES minim 4, # OF THREADS 8, CLOCK SPEED 2.4 GHz, MAX TURBO FREQUENCY 2.66 GHz, CACHE minim 12 MB, SYSTEM BUS5.86 GT/s, # OF QPI LINKS 2, INSTRUCTION SET 64-bit, INSTRUCTION SET EXTENSIONS SSE4.2, EMBEDDED OPTIONS AVAILABLE, LITHOGRAPHY 32 nm, MAX TDP 80 W, VID VOLTAGE RANGE 0.750V-1.350V, CPU 2.40GHz(12 Mb cash), 16GB Memory 1333MHz, min 2*1TB SATA 7200rpm, 3.5" HD Hot Plug Fully Assembled - Kit, Integrated RAID Controller, 2*Redundant Power Supply min 750W, iDRAC6 Enterprise, Software: Windows Server 2012+5CAL licenses, Licensed antivirus For File Servers, for Mail Servers, for Exchange, 24 month license Warranty: min 36 months	Buc.	1

<p><b>Lot 7</b></p>	<p>30191000-4</p>	<p><i>Aparat foto</i></p>	<p>Key Features  Camera Type Digital SLR  Optical Zoom Min 3x  Sensor Resolution Min 16.2 MP  Screen Size min 3"  Optical Sensor  Sensor Type CMOS  Lens System  Lens For SD AF-S VR 18-105mm  Focus Adjustment Autofocus &amp; Manual Focus, Automatic  Lens System Features VR (Vibration Reduction)  Auto Focus type TTL contrast detection  Exposure  Max Shutter Speed 30 sec  Min Shutter Speed 30 sec  Exposure Metering 3D color matrix II  Exposure Modes Aperture-Priority, Automatic, Bulb, Manual, Program, Shutter-Priority  Light Sensitivity 100–6400  Light Sensitivity Max 6400  Camera Flash  Flash Type Built-In  Camera Flash Features Auto Flash, Flash Off, Front Sync Flash, Manual, Rear Sync Flash, Red-eye Reduction  Flash, Slow Sync  Flash Modes Rear Curtain Sync, Red-eye Reduction, Slow Synchro  Memory / Storage  Supported Flash Memory SD Card, SD Memory Card, SDHC Card, SDHC Memory Card, SDXC Card, SDXC Memory Card  Viewfinder  Viewfinder Type Digital  Viewfinder - Field Coverage 95% Approx.  Viewfinder Magnification 0.78x Approx.  Display  Display Type LCD  Display Size min 3"  Microphone  Microphone Type 3.5mm Mic input  Connections  Connector Types min 1 x HDMI output  System Requirements for PC Connection  Operating System Microsoft Windows 7  Supported  Battery  Battery Description Rechargeable Li-ion Battery  File Format  Digital Video Format H.264, MOV, MPEG-4  Still Image Format DCF 2.0, DPOF, EXIF 2.3, JPEG,</p>	<p>Buc.</p>	<p>1</p>
---------------------	-------------------	---------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	----------

			Raw Image Resolution Max Video Resolution 1920 X 1080 Other Features Additional Features HDMI, HDR (High Dynamic Range) Function, Not Interchangeable Lenses, USB 2.0, With Tripod Mount Miscellaneous Special Effects Color sketch White Balance Auto, Cloudy (Preset), Daylight / Sunny (Preset), Flash (Preset), Fluorescent (Preset), Incandescent (Preset), Manual, Shade (Preset) Continuous Shooting Min 4 frames per second Speed Analog Video Format NTSC Warranty: min 24 months		
<b>Lot 8</b>		<i>Computator</i>	<b>ALL IN ONE Monobloc with incorporated DISPLAY</b> CPU: Number of Cores minim 2, Number of threads minim 4, Clock speed minim 2.8 GHz, Maximum Clock : 3.3 GHz, cache: 4 MB, Instruction Set: 64-bit, Lithography 22 nm, max. calc. power 28 W Size: min.27 inches Resolution: min. 1920x1080 Pixels (Full HD), 2560 x 1440 Pixels Quad HD Type: IPS display, 10-finger Multi touch screen with widely adjustable viewing angles GRAPHICS Video card discreta: Clock Speeds Video GPU Clock: minim. 902 MHz Boost Clock:minim. 936 MHz Memory Clock:minim 900 MHz 1800 MHz effective Memory Memory Size: minim 2048 MB Memory Type:minim DDR3 Memory Bus: minim 128 bit Bandwidth: minim 28.8 GB/s  <b>MEMORY: 8 GB DDR3</b> <b>STORAGE: 1TB+SSH8GB</b> <b>CONNECTIVITY</b> Wireless LAN (Wi-Fi): 802.11ac Bluetooth: v4.0 <b>PORTS/SLOTS</b> USB: min. 3xUSB 3.0 HDMI: HDMI-in Media Card Reader Slot: min. 6-in-1 Multi Card Reader Headphone/Mic: Yes <b>MULTIMEDIA</b> Speakers: stereo speakers Keyboard&mouse: Wireless Keyboard and wireless	Buc.	1

			mouse DVB-T + remote control Software: windows 7 PRO Warranty: min 24 months		
<b>Lot 9</b>	30191000-4	Digital Voice Recorder	Record In PCM (WAV), MP3 & WMA Formats Internal 4GB Memory & microSD Expansion Tresmic 3 Microphone System Variable Control Voice Actuator Bright LCD Display with Voice Guidance Built-In 20 mm Dynamic Speaker	Buc.	2

### Consumabile

Nr. d/o	Cod CPV	<u>Tonere</u>	Unitatea de masura	Cantitatea
Lot 10	30191000-4	Toner HP LJ 1010/1018/1020/Canon 2900/4120 /4320 110gr	buc.	187
Lot 11	30191000-4	Toner HP LJ 1000/1200/Canon EP-27 150gr	buc.	13
Lot 12	30191000-4	Toner HP LJ 1100/ Canon 810/1120 140gr	buc.	35
Lot 13	30191000-4	Toner HP M1212/Canon 3010/4410/4450/4730 85gr	buc.	74
Lot 14	30191000-4	Toner HP LJ 1320/1160 135gr	buc.	2
Lot 15	30191000-4	Toner Samsung Universal 80 gr	buc.	27
Lot 16	30191000-4	Toner Samsung Universal 65 gr	buc.	20
Lot 17	30191000-4	Toner Samsung ML-3470/ SCX-4720 160 gr	buc.	2
Lot18	30191000-4	Toner Panasonic DQ-TUJ5K-PK DP-1515P tub	buc.	2
Lot 19	30191000-4	Toner Canon IR 2025 tub	buc.	8
Lot 20	30191000-4	Toner Xerox Xerox WorkCentre 5020 original tub	buc.	2
		<u>Cartușe</u>		
Lot 21	30191000-4	cartuș HP HP LJ 1010/1018/1020/Canon 2900	buc.	38
Lot 22	30191000-4	cartuș HP 1000/1200/	buc.	1
Lot 23	30191000-4	cartuș Canon 4120 /4320/ 4340/ 4350/ 4370	buc.	22
Lot 24	30191000-4	cartuș Canon LBP 3010	buc.	5
Lot 25	30191000-4	cartuș Canon 1120/ 810/ HP LJ 1100	buc.	11
Lot 26	30191000-4	cartuș HP LaserJet M1212	buc.	9
Lot 27	30191000-4	cartuș Canon MF4410/ 4450/ 4730	buc.	4
Lot 28	30191000-4	cartuș Canon MF3228	buc.	2
Lot 29	30191000-4	cartuș Samsung ML-1615	buc.	1
Lot 30	30191000-4	cartuș Samsung ML-1915	buc.	6
Lot 31	30191000-4	cartuș HP Color LJ 2025dn Black	buc.	1
Lot 32	30191000-4	cartuș HP Color LJ 2025dn Cyan	buc.	1
Lot 33	30191000-4	cartuș HP Color LJ 2025dn yellow	buc.	1
Lot 34	30191000-4	cartuș HP Color LJ 2025dn magenta	buc.	1
Lot 35	30191000-4	Laser Cartridge Canon 718 Bk, Black	buc.	1
Lot 36	30191000-4	Laser Cartridge Canon 718 C, Cyan	buc.	1

Lot 37	30191000-4	Laser Cartridge Canon 718 M, Magenta	buc.	1
Lot 38	30191000-4	Laser Cartridge Canon 718 Y, Yellow	buc.	1
Lot 39	30191000-4	Laser Cartridge Canon MF 8080 black	buc.	2
Lot 40	30191000-4	Laser Cartridge Canon MF 8080 Magenta	buc.	1
Lot 41	30191000-4	HP deskjet 959c (C6578A) color	buc.	1
Lot 42	30191000-4	HP deskjet 959c (51645AE) Black	buc.	1
		<b>Piese</b>		
Lot 43	30191000-4	Baterie UPS 12V/ 7AH	buc.	60
Lot 44	30191000-4	1GB DDR2 800MHz PC6400, CL5	buc.	10
Lot 45	30191000-4	Keyboard, USB, Black	buc.	10
Lot 46	30191000-4	Mouse optical, PS/2 Black	buc.	10
Lot 47	30191000-4	1xRJ45 Surface Box UTP Cat.5e LY-SB01A	buc.	30
Lot 48	30191000-4	RJ45 Shielded Modular Plug, Cat.5E (100 pcs/bag), Long Type, 3u" Gold plated	buc.	1
Lot 49	30191000-4	Essential SurgeArrest 5 outlets with Coax protection, P5BV-RS, 230V	buc.	10
Lot 50	30191000-4	DVD-R compatible up to 16x speed storage capacity 4.7GB	buc.	100
Lot 51	30191000-4	Flash 4Gb	buc	20
Lot 52	30191000-4	HDD sata 2 min 160Gb Warranty: min 24 months	buc	5
Lot 53	30191000-4	HDD 2,5 SATA min160Gb Warranty: min 24 months	buc	5

Cererea de participare (cu indicarea clară a denumirii firmei, adresei, numărului de telefon, fax, adresa de e-mail) și confirmarea achitării nerambursabile a sumei de 200 lei (ordin / bon de plată) se expediază la adresele de e-mail: [achizitii@cnspl.md](mailto:achizitii@cnspl.md); [sap@cnspl.md](mailto:sap@cnspl.md) sau la numărul de fax: 022-574-574.

Tel. de contact: 022-574-600 – Sergiu Stigariov  
022-574-574, 022-574-519 – Serviciul achiziții

După primirea cererii de participare și confirmarea achitării nerambursabile a sumei de 200,00 lei, la adresa de e-mail, indicată, va fi expediat pachetul documentelor de licitație.

Plata de 200,00 lei se efectuează în numerar sau prin transfer:

**Centrul Național de Sănătate Publică**

**Contul bancar: 3359502**

**Contul trezorerial: 440115101121901**

**Banca Benef. MF-Trezoreria de Stat**

**Codul băncii: TREZMD 2X**

**Codul fiscal: 1007601001123**

cu nota "Pentru setul documentelor de licitație".



Lipsa cererii de participare și neachitarea taxei pentru documentele de licitație lipsesc operatorul economic de dreptul de a depune oferta în cadrul procedurii respective de achiziție.